



### Control & Signalling Devices 22.5 Ø NYLON SERIES

<b>MOMENTARY ACTUATORS</b>				
	TYPE	COLOUR	ORDERING CODE	
	Flush		White	MK6-PNA1
			Black	MK6-PNA2
			Green	MK6-PNA3
			Red	MK6-PNA4
			Yellow	MK6-PNA5
			Blue	MK6-PNA7

<b>MUSHROOM ACTUATORS</b>			
	TYPE	COLOUR	ORDERING CODE
	Momentary Ø 40mm		Red
Push to lock Turn to release (Latching) Ø 40mm		Red	MK6-MASPN4



### Control & Signalling Devices 22.5 Ø


### **NYLON SERIES**

#### **SELECTOR ACTUATORS**

	TYPE	COLOUR	ORDERING CODE
	SELECTOR		
	2 position STAY PUT	Black	MK6-2SASPN
	2 position MOMENTARY	Black	MK6-2SASRN
	3 Position STAY PUT	Black	MK6-3SASPN
	3 Position MOMENTARY on both sides	Black	MK6-3SASRBN

### Control & Signalling Devices 22.5 Ø NYLON SERIES

<b>LED PILOT LIGHTS “CLASSIQUE”</b>			
	TYPE	Colour of LED / Lens	ORDERING CODE
	<b>Integral circuit with LED 6V, 12V, 24V, 48V, 110VAC/DC 240VAC</b>	White	MK2-LS31C
		Green	MK2-LS33C
		Red	MK2-LS34C
		Yellow	MK2-LS35C
		Amber	MK2-LS36C
		Blue	MK2-LS37C
Please mention the voltage required after the ordering code			
	<b>Integral circuit with LED 24V, 110VAC/DC 240VAC  Legend</b>	Green	MK2-LS33CS
		Red	MK2-LS34CS
		Amber	MK2-LS36CS
Please mention the voltage required after the ordering code			


<b>PILOT LIGHTS WITH LED</b>			
	TYPE	Colour of Lens/LED	ORDERING CODE
	<b>Pilot Light</b>		
	<b>Integral circuit with LED 6V, 12V, 24V, 48V, 110VAC/DC 240VAC</b>	White	MK6-LNS1
		Green	MK6-LNS3
		Red	MK6-LNS4
		Yellow	MK6-LNS5
		Amber	MK6-LNS6
		Blue	MK6-LNS7
Please mention the voltage required after the ordering code			



# MKAY

## POWER CONTROLS

### Control & Signalling Devices 22.5 Ø

### NYLON SERIES

CONTACT ELEMENTS		
	TYPE	ORDERING CODE
	NORMALLY OPEN	MK2-E10
	NORMALLY CLOSED	MK2-E11

PUSH BUTTON ACTUATOR WITH CONTACT ELEMENT (NO or NC)			
	TYPE	COLOUR	ORDERING CODE
	Flush Push Button with 'NO' contact	White	MK6-PNE101
		Black	MK6-PNE102
		Green	MK6-PNE103
		Red	MK6-PNE104
		Yellow	MK6-PNE105
		Blue	MK6-PNE107
	Flush Push Button with 'NC' contact	White	MK6-PNE111
		Black	MK6-PNE112
		Green	MK6-PNE113
		Red	MK6-PNE114
		Yellow	MK6-PNE115
		Blue	MK6-PNE117

# **MKAY**

## **POWER CONTROLS**

### Control & Signalling Devices 22.5 Ø NYLON SERIES

---

#### Accessories and spares

##### Legend plates

Legend plates 30 x 40 mm are supplied with the following standard texts :

START FORWARD UP OPEN AUTO SLOW RESET ON RIGHT STOP

REVERSE DOWN CLOSE HAND FAST TRIP OFF LEFT

Legend plate Ø 60 mm yellow with black characters for **EMERGENCY STOP**



---

##### Lenses

Colour of lenses :      White      Green      Red      Yellow      Amber      Blue

For pilot lights  
with LED

1

3

4

5

6

7



---

Adaptor for fixing Ø 22.5 mm devices in Ø 30.5 mm cutout.



---

Blanking plug for Ø 22.5 mm hole, black

---